



Treatment of Corona Virus by using Medicinal Plants [A Review]

Syed Rizwan Abbas^{*1} and Sakeena Muhammad²

¹Department of Biological Sciences; Hunza Campus; Karakorum International University; Gilgit.

²Department of Biological Sciences; Weekend Graduate School, Karakoram International University Gilgit.

Abstract

Coronavirus disease (CoViD-19) is a respiratory infection. An association of viruses can cause infections in the lungs. It is considered as a zoonotic disease means (disease transfer from animals to human) and also blowout from person to person while sneezing, coughing or bodily interaction. Followings are few signs of cough, cold, fever and sore throat. Already infected persons are riskier to coronavirus disorder. Coronavirus is an outbreak to worldwide. Due to the lack of active immunization, and antiviral drug finding the whole world faces a great challenge to overcome the novel coronavirus outbreak. Millions of peoples are died, in coronavirus battle. The whole world is trying to search for a valuable and effective solution to the most vulnerable novel coronavirus disease. Behalf of their extraordinary struggle somewhat solutions are found. Herbal medications and natural goods are applying to cure diverse pathological contagions as well as further ailments earlier. For the treatment of the ailments and medicine finding inventor and researchers have done experimentation and prosecutions. Herbal tablets are very supportive of control of various disorders since of their purity and harmless. Herbal products are medicine creating from nature and have no side effects because of less use of derivatives, conservers or excipients. In this review, I focused on the use of herbs for the treatment and cure of novel coronavirus contagions specially and we realize a screening process to find medicinal herbs which are normally used in treating virus-related breathing contagions. They comprise mixtures that can prevent 2019 novel coronavirus (2019-nCoV) that creates pneumonia. Two main steps are involving in screening technique. In the first step, literature is search for natural composites that are purely accepted as adjoin severe acute respiratory disorder coronavirus or Middle East respiratory syndrome coronavirus. For evaluation and examination of ADMET properties, the compounds were checked and it would be very energetic. A docking analysis technique was

applying to the quiz if the compound had the ability for shortest 2019-nCoV protein interaction. In the second step, it is searched herbal databases to the discovery of plants consisting of the selected compounds. At last, scheme pharmacology analysis was used to judge the general in vivo effects of every selected herb.

Keywords: Coronavirus; Medicinal Herbs; Inhibitors; Antiviral Drugs; Virtual Screening.

Introduction

Human pathogeneses are produced by many viruses such as polio, AIDS, influenza etc. Numerous disorders which are difficult-to-treat and compound diseases organized with Alzheimer's disease, type 1 diabetes, and hepatocellular tumour were joined through virus causing contagions (Berry et al., 2004). The rapid growth and international transportable rising, coronavirus epidemic denote a serious hazard to public health, because of inaccessible protective vaccines and antiviral cures. For examples dengue virus, cold virus, measles virus, severe acute respiratory syndrome (SARS) virus, and West Nile virus epidemics (Ali & Keil, 2006). Only a few antiviral drugs are approved for medicinal purposes since many viruses stand with no active vaccination. The condition stands more intensified through the latent discovery of medicine-buoyant toxins, particularly by consuming pathological enzyme-specific regulators, it meaningfully hinders medicine efficiency. So, there is an urgent obligation to determine novel antiviral medicines. In the absence of injections and standard cures, they are very active and less expensive for the world and battle of viral syndromes (Stawicki et al., 2020).

Coronaviruses are known to be the prime single-stranded RNA viruses. They belong to family Coronaviridae, and the subfamily Orthocoronaviridae. The classification of coronaviruses are four genera; built on phylogenetic analyses and having ability against antigen standards, Alpha coronavirus, Betacoronavirus, Gamma coronavirus and Deltacoronavirus (Schwartz & Graham, 2020). (A) alpha CoVs, accountable to digestive disorders in humanoid, mongrels, cattle, and pet animals; (B) beta CoVs, Bat coronavirus (BCoV), which creates the anthropological diseases several serious pulmonary infections, SARS virus and the Middle Eastern respiratory syndrome (MERS) virus; (C) gamma CoVs, produced bird's species illnesses (Schwartz & Graham, 2020).

The cell membrane of coronaviruses is made up of a lipid bilayer, having three types of proteins: spike (S), matrix (M), and the E protein. Their wrapping is composed of a nucleocapsid, having the RNA of virus and nucleocapsid (N) protein. Proteins S, M, and N take remained designed to the vital parts in combinations of receptors then reproduction of virion. The instance, spike protein of the membrane facilitates accessory toward cellular binding molecules enters via merging by cell envelopes, even though the medium protein M is intricate production then combined to N and S proteins (Opstelten, Raamsman, Wolfs, Horzinek, & Rottier, 1995).

This novel strain of coronavirus can blowout over worldwide in a very short period. A recent report of February 28, 2020, the whole figure of people suffering from complete nCoV19 disease is 83,652, and over 3,000 deaths rate universally.

In spite it fails to cure Ebola hemorrhagic fever, the nucleoside regulator Gilead's NUC was functional about curing CoV19 suffering people in the western countries, a probable action was recommended for this novel strain coronavirus. Unluckily, the coronavirus is scattering having many Ribose Nucleic Acid arrangement easily. A query was created about their efficacy

as opposed to diverse CoV variations (Nguyen, Zhang, & Pandolfi, 2020). Remdesivir is a type of treatment, in which an adenosine analogue, was very effective in curing Ebola virus same as further RNA viruses. The studied data verified its effectiveness and helps in guiding such arising nCoV19. Same as, chloroquine is a type of herbal having antimalarial, antiviral ability, besides immunomodulatory consequence has been arising beneficial in preventing nCoV19 (Wang et al., 2020). Limited therapeutic possibilities committed through flexible conduct consequences reduce nCoV19, which is a serious task for any country.

In general medicine, natural goods or byproducts are effective to overcome a lot of virus-related disorders (Ganjhu et al., 2015). In this sense, there is a huge scope of herbal medications in nutraceuticals marketplace (Williamson, Liu, & Izzo, 2020). Daily the competition and research are rising on plant-based drugs development. Laterally that mark, an annual flowering plant, family Ranunculaceae fixed their resisting action counter to the virus of family Flaviviridae (Oyero et al., 2016). Several viral reproductions are inhibited by the antiviral action of some normal products which displays their activity through different barriers. To one side herbs derivative amalgams, numerous aquatic usual goods, in addition to genetically engineered compounds have correspondingly specified to the against virus ranges counter to many diseases (Neumann & Neumann-Staubitz, 2010).

Reproductions of Corona Viruses

Through contact among the spike protein of microbe then the active side of a normal cell. Coronaviruses (CoVs) enter into the host. Some types of virus use the end-N (e.g., severe acute respiratory syndrome CoVs), whereas the next type follows the end-Cin sensory information position to active side adhering realms (RBD).

When the synthesized protein sequence transformed as of genetic RNA of the, it decodes dual vast exposed interpretation settings, replicate 1a and replicate 1b which straight dual both ends poly proteins 1a, polyprotein 1b. So, Coronavirus practices a slimy order (5'-UUUAAAC-3') besides a ribose nucleic acid loops the is reason network of ribosomes transferring as of the replicase 1a leading edge to the replicase 1b.

Pathogenesis of Corona Viruses

The earlier concepts are that viruses create minor, limited lung contagions into the person; but severe acute respiratory syndrome and the Middle East respiratory CoVs epidemic altered that concepts because of their severe infections. In the human populations, these CoVs are widely spreading and causing 15–30% of lungs diseases yearly. Likewise, Coronavirus creates a serious disorder among older as compared to a newborn and grown person having earlier ailments, and have a high frequency of breathing infection among peoples. Beside of this, HCoV-NL63 concerned by severe laryngotracheal it is, while HCoV-229E takes slight system aberration (Kaye et al., 2006). HCoV-OC43 and nCoV-19 denote important hereditary alteration. This part, HCoV-229E is responsible towards attack rats, whereas HCoV-OC43 are skilled in invading rats and some reflective types. The growth of multiple sclerosis (MS) is occurred by human CoVs. In China an area Guangdong, severe acute respiratory syndrome CoV recognized is the causal agent of the SARS epidemic in 2002– 2003 interval. In December 2019 in Wuhan in dangerous Covid-19 disorder is being addressed (Bogoch et al., 2020). Coronavirus infection is considered a distinct epidemic occurrence, and greatly suffered above 200,000 and produced extra 7,000 losses through the world. It is shown that every kind of persons, particularly ageing people suffering from diabetes, high blood pressure, cerebral infarction, long time bronchitis,

Parkinson's disease, chronic disruptive lung illness, heart disorder then tumor also having corona virus (Deng & Peng, 2020; Guan et al., 2020; Huang et al., 2020).

As a wealthy source for novel antiviral drug manufacturing is afford by herbal medications and germ-free natural products. There are different mechanisms against viruses are identified from herbal agents which interrelate with the life cycle of the virus, for instance, entrance of virus, replication, assemblage, and release, along with the targeting of the virus–host-specific connections.

Plant Extracts

Earlier screening is a chosen experimental method to screen the herbal products to know about the bioactive molecules and their biotic action. The works investigation created on PubMed database shows the existence of a sum documents studying against pathological action of herbal medications counter to various kinds including coronaviruses. Earlier studies have explained the process of action against viruses by a screening of 100 curative floras from British Columbia (Canada) counter to many coronaviruses, especially the division products of genus *Rosa nutkana* C. Presl also *Amelanchier alnifolia* (Nutt.) Nutt. belongs after family Rosaceae, remained effective and counter to a type of coronavirus of bovine origin (BCoV), as directed to a whole suppress virus-related cytopathogenic result (Abbas et al., 2013; McCutcheon et al., 1995).

By using a high data screening technique, the extracts of curative plants which are to the handling of germs -made transmittable disorders and checked thereagainst viral events contrary to SARS-CoV in China. An MTS assay was used for screening process (Coryetal.,1991; Khabaretal.,1996). To check a only lively organic material, the lively replicas from presentation remained and exposed to a structure-activity relationship (SAR) for learning. As a result of the lessons and the possible procedure of proven principal were helpful for curing of SARS-CoV-made transmittable disorders.

Assumptions and Outlooks

Earlier in-silico study on the inhibition of COVID-19 protease by the goods of herbal plants. It is noticed that all these plants have reserved an ability to positive ranges of coronavirus. Based on the binding attraction along with log P and log S values, harbinger, aloe vera and giloy neem as the most powerful herbs among some plants. Other higher inhibitors of COVID-19 protease include turmeric, neem, ashwagandha and ginger. The ability against viruses of these plant extracts is shown to be greater than those of chloroquine and hydroxychloroquine. These two anti-malarial drugs are already started to prevent COVID-19 protease in vitro. Most of the countries rejected these drugs due to basic toxicity and side-effects. So, the results become very interesting towards the development of different (herbal) medicines having no deceptive side effects. We adopt rapid arrangements in this direction to fight with the COVID-19. Normal herbs have given a beautiful way `to the researcher to medicine study to find new applicants. COVID-19 triggered by the new coronavirus (SARS-CoV-2) a lethal transmit able illness contrary to it there is not one exact drug and inoculation are developed. Continuous hard workover experimental or clinical education has been able to fight against the infection. In contrast, distinct medications against the virus were applied counter to SARS CoV at this time experienced to cure the suffering peoples. The present evaluation highlighted the studied natural products having an inhibitory process against different kinds of coronaviruses may provide a model for new

medicine discoverers for preventing SARS-CoV-2. It is concluded that pure compounds can guide a confident technique to ongoing COVID-19 medicines, research and effective treatment.

References

- Abbas, S., Ahmad, S., Sabir, S., Shah, A., Awan, S., Gohar, M., . . . Rao, A. (2013). Antioxidant activity, repair and tolerance of oxidative DNA damage in different cultivars of Sugarcane ('*Saccharum officinarum*') leaves. *Australian Journal of Crop Science*, 7(1), 40.
- Ali, S. H., & Keil, R. (2006). Global cities and the spread of infectious disease: the case of severe acute respiratory syndrome (SARS) in Toronto, Canada. *Urban Studies*, 43(3), 491-509.
- Berry, J. D., Jones, S., Drebot, M. A., Andonov, A., Sabara, M., Yuan, X. Y., . . . Gren, J. (2004). Development and characterisation of neutralising monoclonal antibody to the SARS-coronavirus. *Journal of virological methods*, 120(1), 87-96.
- Bogoch, I. I., Watts, A., Thomas-Bachli, A., Huber, C., Kraemer, M. U., & Khan, K. (2020). Potential for global spread of a novel coronavirus from China. *Journal of travel medicine*, 27(2), taaa011.
- Ganjhu, R. K., Mudgal, P. P., Maity, H., Dowarha, D., Devadiga, S., Nag, S., & Arunkumar, G. (2015). Herbal plants and plant preparations as remedial approach for viral diseases. *Virusdisease*, 26(4), 225-236.
- Kaye, M., Druce, J., Tran, T., Kostecki, R., Chibo, D., Morris, J., . . . Birch, C. (2006). SARS-associated coronavirus replication in cell lines. *Emerging infectious diseases*, 12(1), 128.
- McCutcheon, A., Roberts, T., Gibbons, E., Ellis, S., Babiuk, L., Hancock, R., & Towers, G. (1995). Antiviral screening of British Columbian medicinal plants. *Journal of ethnopharmacology*, 49(2), 101-110.
- Neumann, H., & Neumann-Staubitz, P. (2010). Synthetic biology approaches in drug discovery and pharmaceutical biotechnology. *Applied microbiology and biotechnology*, 87(1), 75-86.
- Nguyen, T. M., Zhang, Y., & Pandolfi, P. P. (2020). Virus against virus: a potential treatment for 2019-nCoV (SARS-CoV-2) and other RNA viruses: Nature Publishing Group.
- Opstelten, D. J., Raamsman, M., Wolfs, K., Horzinek, M. C., & Rottier, P. (1995). Envelope glycoprotein interactions in coronavirus assembly. *The Journal of cell biology*, 131(2), 339-349.
- Oyero, O. G., Toyama, M., Mitsuhiro, N., Onifade, A. A., Hidaka, A., Okamoto, M., & Baba, M. (2016). Selective inhibition of hepatitis c virus replication by Alpha-zam, a *Nigella sativa* seed formulation. *African Journal of Traditional, Complementary and Alternative Medicines*, 13(6), 144-148.
- Schwartz, D. A., & Graham, A. L. (2020). Potential maternal and infant outcomes from (Wuhan) coronavirus 2019-nCoV infecting pregnant women: lessons from SARS, MERS, and other human coronavirus infections. *Viruses*, 12(2), 194.
- Stawicki, S. P., Jeanmonod, R., Miller, A. C., Paladino, L., Gaijeski, D. F., Yaffee, A. Q., . . . Bloem, C. (2020). The 2019–2020 novel coronavirus (severe acute respiratory syndrome coronavirus 2) pandemic: A joint american college of academic international medicine-world academic council of emergency medicine multidisciplinary COVID-19 working group consensus paper. *Journal of global infectious diseases*, 12(2), 47.
- Williamson, E. M., Liu, X., & Izzo, A. A. (2020). Trends in use, pharmacology, and clinical applications of emerging herbal nutraceuticals. *British Journal of Pharmacology*, 177(6), 1227-1240.